

An Integrated Framework of Balance Scorecard-PESTLE- Smart and Green Port for Boosting the Port Performance

by Yugowati Praharsi

Submission date: 22-Feb-2022 01:41PM (UTC+0700)

Submission ID: 1768174833

File name: Paper_IEOM_rev_SUBMIT_ID266.pdf (357.42K)

Word count: 5825

Character count: 34100

An Integrated Framework of Balance Scorecard-PESTLE-Smart and Green Port for Boosting the Port Performance

Yugowati Praharsi, Fitri Hardiyanti, Devina Puspitasari, Ristanti Akseptori, and Aditya Maharani
Business Management Department
Shipbuilding Institute of Polytechnic Surabaya
Surabaya, Indonesia
yugowati@ppns.ac.id

Abstract

The occurrence of long dwelling times, lack of investment to support port sustainability, environmental pollution, and the lack of advanced technology used are still common in Indonesia. Developing comprehensive port performance is essential to boost the results. This study aims to model an integrated framework to boost port performance. The design conceptual framework integrates performance measurement using the BSC and PESTLE methods with the concepts of sustainability, smart and green port. The BSC method is used as a measure of the company's overall performance but focuses more on internal, while PESTLE is used as a measure of the external performance of ports. Based on the literature study result, these methods are proven to be used as a port performance measurement tool, so they need to be integrated because the company must be in a competitive position with the required internal and external information. Therefore, the conceptual framework is expected to boost port performance in a complex manner.

Keywords

Balance scorecard, PESTLE, Smart Port, Green Port, Port Performance

1. Introduction

Port is one of the maritime sector's leading facilities, which has functions related to loading and unloading of goods, arrival and departure of ships, storage of goods, and others. In recent years, all world regions mostly carry out the process of exchanging goods by sea (Siroka et al. 2021). The port is a complex entity that faces several problems. The first problem faced by Indonesian ports is long dwelling time, which affects port operating costs such as increased inventory costs and ship 32 uncertainty. Per 2018, Indonesia has a dwelling time of 5.08 days. This number is higher than neighboring countries such as Singapore, which has a dwelling time of 1.5 days, Malaysia has a dwelling time of 4 days, and Thailand has a dwelling time of 5 days (Hassan et al. 2020). According to Ministerial Regulation No. PM 116 in 2016, international ports in Indonesia have a maximum dwelling time of three days (Utami et al. 2020). It shows that Indonesia's dwelling time is still below the standard of the Ministerial Regulation that made. Therefore, ports must strive to reduce dwelling time to improve their performance so that ports can continue developing and competing with overseas ports.

Second, port development is profitable for investors as well as regional economic development. However, unfortunately, the investment provided has not met the funding target needed to support port sustainability (Aurora et al. 2020). On the other hand, significant infrastructure develop 46 nt can have adverse effects on the environment 44 ne of the most significant environmental problems that ports need to pay attention to is the reduction of greenhouse gas emissions (Christodoulou and Cullinane, 2019). Air pollution caused by greenhouse gas emissions harms human health and the environment in the port area. Other impacts arising from greenhouse gas emissions are flooding, famine, and economic instability that can even lead to global warming. Based on the

explanation above, it is known that environmental problems need to be considered because they are related to sustainable port plans and port growth.

The third problem faced by the port is related to the technology used. The growth in container volume requires strategic development that focuses on capacity and increases its operational performance to satisfy customers. Thus, the pressure that increased cargo flows has weighed operating costs has prompted loading and unloading companies to implement automation and process improvement (Vrakas et al. 2021). At the Patimban Port, the dwelling time is for less than two days which will undoubtedly affect the cost reduction because supported by the existence of automated facilities such as an automotive port. (Hikam, 2021). Lastly, as we know, most operational systems at ports always involve transportation and high-powered equipment, which produces emissions and pollution that can endanger human health and the surrounding environment. Port activities affect air, noise, light, odour emissions, waste accumulation, and water pollution. (Siroka et al. 2021). Furthermore, the existence of the port may cause a loss of habitat (Darbra et al. 2004; Chen and Pak, 2017)

Several problems mentioned above showed that port authority needs to be aware of problems and prepare an excellent strategy to make the port agile in the face of any uncertainty. There are few studies available that stated the important of Balance Scorecard (BSC), PESTLE, sustainability, smart and green port in boosting port performance. BSC as the measurement tools is known has a significant relationship with organizational performance and the proper implementation of BSC will leading the high performance result. Implementation of a performance measurement system is needed to achieve the company's strategic objectives. BSC can identify, qualify, and develop methods for port development. In Alesinskaya et al. (2017), BSC helps ports assess current conditions to make it easier to make policy strategies. As a tool for measuring the company's overall performance, BSC is the right tool to be applied to ports (Li and Yip, 2016). Performance measurement and strategy implementation with the BSC improve port performance in providing the best public services (Iklina et al. 2018) and increase 67% competitive advantage at ports (Hamid, 2018). Besides, to apply the concept of port development, PESTLE analysis is needed. According to Sridhar et al. (2016), the PESTLE approach can produce valuable information about future viability, especially for the purposes of making effective management decisions. Casan et al. (2021) argue that PESTLE analysis can provide a way to include sustainability in strategic analysis. PESTLE analysis provides information about the relationship between factors and the state of the macro-environment to facilitate decision-making (Yunkel in Aurora et al. 2020; Christodoulou and Cullinane, 2019). PESTLE can also be used to measure the external performance of ports, particularly related to political, economic, social, technological, legal and environmental factors, whether they have a positive or negative impact on the port (Christodoulou and Cullinane, 2019). In the Industrial 4.0 era, ports need to adapt to automation systems and achieve maximum results. Therefore, the implementation of the smart concept in the port sector is significant, so companies can be faster, cheaper, and flexible in responding to the trends (Gonzales et al. 2020; Lendel, 2013; Jankalová and Jankal, 2018; Holund, 2021). The implementation of Green Port in ports is essential because the sea transportation industry handles more than 85% of the volume of global trade, which means that this concept not only affects the country's overall emissions but also makes a significant contribution to reducing emissions globally, besides to increase customers satisfaction, improving corporate image, and protecting the surrounding environment (Lam, J. 2019; Chen and Pak, 2017; Teerawattana, 2019).

However, based on the literature study results, not many journals integrate BSC, PESTLE methods and incorporate the sustainability, smart and green port concept. These tools and concepts have proven to be decisive in measuring and improving port performance. Each tool and concept has its strengths and weaknesses, so the author try to cover the gap by integrating BSC, PESTLE, sustainability, smart and green ports to formulate a comprehensive framework to improve or even boost port performance. Efficient implementation requires effective management integration. Although the BSC provides effective implementations and measurement, it is necessary to control the company to know about its competitors and external factors, namely, self-assessment, competitor position, industry trends, etc. (Kopecka, 2015). BSC and PESTLE methods with the concept of sustainability, smart and green port require to be integrated because the company must be in a competitive position with internal and environmental information required (Iklina et al. 2017; Hui et al. 2019; Oh et al. 2018; Azhar et al. 2018)

2. Literature Review

2.1. Balance Scorecard

Kaplan and Norton first proposed the Balanced Scorecard (BSC) in 1990 as a tool to transform organizational strategy into a measurement system that is communicated to all employees of the company so that they can realize their mission through concrete actions (Kaplan and Norton, 1996 (in Li and Yip, 2016)). According to Kaplan and Norton (1992) in the journal Hamid (2011), there are four dimensions of performance measurement in the Balanced Scorecard: financial, customer, learning and growth dimension, and internal business process dimension. Each of these dimensions is divided into several sub-dimensions consisting of interrelated performance measurement indicators as follows:

- Financial dimensions, such as profitability (Revenue Growth, EBIT, and net profit margin) (Ha, 2017; and Pham, 2020), Liquidity and Solvency (Current Ratio, Debt to Total Assets, and Debt to Equity) (Ha, 2017), Cost of Poor Profitability (demurrage costs, repair costs, and cargo loss costs) (Ridwan and Noche, 2018)
- The Customer Dimension consists of the Service Fulfillment sub-dimension with indicators measuring overall service reliability, cargo damage, and service delay incidents (Ha, 2017). In addition, there is also a Service Cost sub-dimension with measurement indicators including overall service costs, cargo handling costs, and additional terminal service costs (Ha, 2017 and Ha, 2018).
- Internal business process dimensions, including Leadtime sub-dimensions (Vessel Turnaround and Container Dwell Time) (Ha, 2017 and Ha, 2018), traffic sub-dimensions (Number of annual vessel calls, Average tonnage per vessel, Total annual throughput, Annual TEUs, Annual bulk commodities, annual non-bulk commodities, Annual Vehicle Traffic) (Morales F, 2016), Logistics and Operations Performance sub-dimensions (Berth Productivity, Maritime Connectivity (Liner), Short Sea Connectivity, Average dock access time Average, Gate productivity, Transportation cost per container) (Karakas, 2020)
- The learning and growth dimensions consist of Human Capital sub-dimension with indicators (Ha, 2017 and Ha 2018), the Organization Capital sub-dimension with leadership and teamwork indicators (Ha, 2017 and Ha, 2018)

According to Lesinskaya et al. (2017), by justifying the causes and effects of each BSC indicator, companies can develop a port performance strategy map to increase the Port and Industrial Complex. Not only that, the implementation of the balanced scorecard in the strategic management process is very effective so that it can increase 67% of competitive advantage at the Pelindo IV port, especially in clarification, strategy description, strategic communication to business units, organizational alignment, and finally objectives and strategy learning (Hamid, 2018). According to Iklina et al. (2018), the strategy's implementation can be categorized as successful and following performance measurement if it provides benefits, improves performance, and gets the best public services the management of Muara Angke Port. The social and economic benefits of implementing the strategy include improvements in quality life, environmental quality, and local government performance.

2.2. PESTLE-Sustainability

PESTLE is a tool used to plan business strategies by providing a strategic framework that evaluates and understands the influence of external factors, including political, economic, social, technological, legal, and environmental (Christodoulou and Cullinane, 2019). To provide a competitive advantage, PESTLE can be combined with the concept of sustainability, particularly related to sustainable ports. A sustainable port is a concept for carrying out port operations using three main pillars: economic, social, and environmental (Muangpan and Suthiwartnarueput, 2019). The combination of the two becomes the concept of Port PESTLE-Sustainability. Christodoulou and Cullinane (2019) stated that port policies and the influence of stakeholders are political aspects that exist in ports. According to Oh et al. (2019), the economic aspect involves investment and cargo handling, while the social aspect involves the port's direct or indirect contribution to the surrounding area. Christodoulou and Cullinane (2019) include the development of sustainability technology in the technological aspect, and for the legal category, there is a discussion on compliance with standards and regulations. The last aspect is the environment that considers waste management (Serkan et al., 2019).

PESTLE-Sustainability method is considered capable of bridging the development of the port and the problems it causes. Over the last few decades, the port industry and maritime trade have increased because they play an essential role in the global economy (Oh et al. 2018; Christodoulou and Cullinane, 2019). However, unfortunately, this industry also contributes to emissions that cause environmental damage. Dabra et al. (in Oh

et al. 2018) stated that ecosystem damage could occur ⁴⁴ to sea, land, and air pollution. Christodoulou and Cullinane (2019) argue that it is necessary to implement an energy management system at the port to overcome this. The obstacle faced in implementing this system is that the port operates reasonably complex and has various characteristics. To overcome these problems, PESTLE-Sustainability has an important role. The six factors contained in PESTLE are considered to make it easier to evaluate and measure the influence of factors originating from outside the port (Christodoulou and Cullinane, 2015). Sakar and Cetin (in Thanyaphat and Kamonchanok, 2019) argue that the concept of sustainability aims to meet the needs of stakeholders while maintaining the sustainability of social and natural resources. Schipper and Vreugdenhila (2017) state that the concept of sustainability is one part of a long-term port management plan that is carried out through KPI evaluation. KPIs link top management and employee engagement (Felix in Hui et al. 2020). Integrating sustainability components with innovation and technology can maximize the potential and strengthen the port (Schipper and Vreugdenhila, 2017; Aurora et al. 2020).

45

2.3. Smart Port

The smart port is a port that is fully automatic where all of its equipment, facilities, and services are connected by the Internet of Things ⁵ (IoT) with an integrated system (Yang et al. 2018; Azhar et al. 2018). Smart ports use technology by adopting innovative and efficient management models to increase the productivity of port operations and minimize costs (Molavi et al. 2019). According to various journals and existing research, there are several dimensions ⁴⁵ and indicators of smart ports. Phillip (2020) stated that the dimensions of smart ports are divided into 5: management, human capital, functionality (IT), technology, and information. At the same time, Molavi et al. (2019) stated operations, environmental, energy, and safety and security dimensions. Furthermore, Douaioui (2018) mentions two-dimension interconnection ¹⁶ on and automation. Lastly, González et al. (2020) explained that the main dimensions of smart ports are operational, economic, social, political and institutional, and environmental.

In 2010 at the port of Hamburg, Germany, Smart Port Logistics began to be implemented. IoT connects every data and operation at the port, including ships, trucks, and transportation systems, and helps to monitor the traffic of ships and vehicles at the port. It also helps monitor the long-term response ⁵⁷ various assets that help manage preventive maintenance activities (Ferretti and Schiavone, 2017; Heilig et al. 2017; Jun et al. 2018; Zarzuelo et al. 2020). A case study in South Korea shows that smart ports have a significant impact on many industries that positively affect the economic sector in South Korea (Jun et al. 2018). The port in Cartagena also applies smart ports, especially in the technology sector, which causes the exchange of information (such as port operations and traffic conditions of ships and vehicles in and around the port) in the port to be faster (Bojić et al. 2021). Also, another smart port example from Shanghai port, which uses a developed information system that makes all the operations in port can be monitored by the computer. Because of this, the crane's operator can easily control container movement through the monitor inside the crane. The particular truck will receive the command to operate via the terminal ²⁴ computer. The result is that it minimizes the probability of error and container loss (Bisogno et al. 2015; Ilin et al. 2019).

2.4. Green Port

Green Port is a concept where ports tend to behave with a balanced integration of environmentally sustainable and energy-efficient ⁵⁶ (economy) through an effective strategy. It covers several aspects, including reducing harmful gas emissions from ports and ships, the most prominent factor (Viao et al. 2018; Pettit et al. 2017).

The Green Port concept has different dimensions and sub-dimensions in each port. According to Puig, et al. (2014), there are seven dimensions, including emission to air with measurement indicators such as emission of combustion gases and emission of particulate matter; the second dimension discharged to water/sediments with indicators such as discharges of wastewater, discharges of hydrocarbons, discharges of other chemicals; emission to soil dimension with indicators emission to soil and groundwater; resource consumption dimension with indicators of water, electricity and fuel consumption; waste generation dimension with indicators generation of recyclable garbage and generation of hazardous waste; noise dimension with noise emissions indicator, and biodiversity dimension with effects on biodiversity indicator. Meanwhile, according to Teerawattana and Yang (2018), two dimensions are environmental and social. Environmental dimension using ²⁴ indicators such as water consumption, waste recycling, and noise control. Social dimension with indicators of communication (open-access information) and quality of life in the communities. Viao et al. (2018) use four

dimensions, namely technical and operational with indicators of environmental accidents; financial dimension with environmental costs indicators; management dimension with indicators such as environmental management programs and port development (water and land); and the last is the environmental dimension with indicators such as light emissions, shipping emissions, and energy consumption.

Several opinions related to the significance of implementing Green Port on the performance and name of a port: Lam and Li (2019) stated that company orientation on environmental performance could increase port business opportunities by achieving sustainable development, social responsibility, and benefits. The economy in the long term. Chen and Pak (2017) state that the Green Port measurement indicator is a reference and has significant implications for most port stakeholders. Teerawattana and Yang (2019) stated that environmental management is also beneficial for cost savings and port environmental protection. Roos and Neto (2016) stated that the application of Environmental Management is critical to evaluate port environmental criteria and combine environmental indicators with appropriate economic and financial variables in future improvements.

3. Modelling of An Integrated Framework

The author developed the conceptual framework for the integration model between BSC, PESTLE, smart port, and green port because the existing literature describing the four models integration has not been discussed so far. The synergy between those 4 models is illustrated in Figure 1 as a conceptual framework to give a clear idea of how to port performance is evaluated.




Figure 1. Conceptual Framework

Framework in Figure 1 consists of three parts, a BSC, PESTLE, smart and green port. The framework illustrates the integration model of several methods for measuring port performance. Ports are a complex organization, so it is necessary to determine internal port performance and external port performance. To measure port performance internally, adopting the balanced scorecard method with financial, internal business process, and learning and growth dimension. In comparison, the customer dimension is classified as external performance.

Furthermore, PESTLE is used for measuring external performance and is integrated with the sustainability concept. The environmental, economic, social dimensions are included as sustainability concepts, where technology, legal, and political extension sustainability. In addition, the technology dimension will then synergize with smart port indicators so that the KPIs compiled are more comprehensive from a technological point of view so that ports can persist in fierce competition in the industrial 4.0 era. The environmental dimension will also synergize with the green port indicator to make an environmentally friendly port that does not affect the neighboring environment.

4. Results and Discussion

Detailed performance measurement indicators are needed to provide an overview of port achievements and assist managers in controlling and monitoring strategies. The Balanced Scorecard (BSC) is a framework for measuring the company's overall performance using Performance Indicators that have 4 measurement perspectives, namely financial, customers, internal business processes, and learning and growth perspectives (Li and Yip, 2016).

66 However, the limitation of this method is that it focuses more on internal aspects, so it is unable to evaluate significant changes in external aspects (51 Mohobbot, 2004; Salem et al. 2012). Therefore, ports need to carry out a more in-depth internal and external analysis that includes a comprehensive assessment of their capabilities and performance relative to competitors and their position relative to industry trends (Kaplan-Norton, 2008).

Ports can design performance measurement indicators by analyzing internal and external aspects because ports must understand environmental competition before forming a strategy. This design requires tools and techniques that are coherent and integrated as an integral part. Kopecka (2015) mentions that integration is one of the important things that companies must choose carefully, taking into account the nature of values, goals, resource allocation, and activities behind them. Thus, companies must be cautious in selecting and integrating the best.

The conceptual model in Figure 1 shows the integration of performance measurement using the BSC and PESTLE methods with the concept of sustainability, smart and green port. The BSC method is a tool for measuring internal port performance, while the PESTLE method measures port external performance (63 PESTLE analysis is considered comprehensive enough to be integrated because it has six factors in it. These factors include political, economic, social, technological, legal, and environmental (Christodoulou and Cullinane, 2019). The external (54 key factors of PESTLE can provide an overview of the different macro-environments and understand the growth (market growth or decline, business position, potential and direction for the operating factors that the company should consider (Kopecka, 2015).

64 Integration is used to improve performance at ports due to complex port systems (Ridwan, 2018). This integration is needed because performance measurement can be maximized when paying attention to internal and external aspects of the port with a combination of the concepts of Sustainability, smart and green port. Port sustainability is (52 strategy and commercial activity carried out to meet current and future (52 port needs and parties who have interests while protecting and supporting human and natural resources (Oh et al. 2019). The (68 concept of Sustainability can be combined with PESTLE because it has similarities in 3 factors, namely economic, social, and environmental. In the concept of PESTLE-Sustainability, the other three PESTLE factors are called sustainability extension, which consists of political, technological, and legal factors.

16 The concept of industry 4.0 directly affects the maritime, port and logistics sectors (Gonzales et al. 2020). Smart ports are closely related to the sophistication of port technology, where there are dimensions of automation, integrated infrastructure, and so on So that the smart port indicator needs to be considered by the port because it has a synergistic relationship with the external port indicator (PESTLE) on the technology factor. Duran (2016) states that strategic technology can be applied to ports so that port administrators and external and internal port terminals can quickly achieve higher productivity and better value creation in their development. This smart port indicator supports automatic facilities to shorten dwelling time at the port and save operating costs (Yau et al. 2020).

Green Port is a sustainable port that balances environmental, social (65 economic benefits which reflect Sustainability. The existence of a sustainable port improves the balance of cost efficiency in the port, port environment, and community port (Muangpan and Suthiwartnarueput, 2019). The Green port indicator can synergise with the external port indicator (PESTLE) from an environmental perspective. With the (62 section of the port environment, it is shown that there is better environmental management, such as reducing the negative impact of port activities on the environment to realize a sustainable port.

The formulation of a conceptual model of integration of performance measurement using the BSC and PESTLE methods with the concept of sustainability, smart and green port can be used as a port for the formation of KPI in the future where this model assesses the internal and external aspects. So that performance measurement at the port can be more complex and detailed from various aspects.

5. Conclusion

This study presents the design of conceptual framework integrates performance measurement using the BSC and PESTLE methods with the concept of sustainability, smart and green port. The proposed framework represent an effective measurement to boost port performance. The BSC method is a tool for measuring internal port performance, while the (6 PESTLE method measures port external performance. This conceptual framework is integrated to more easily understand the growth or decline of the market, business position, potential and direction for the operating factors that the company must consider to become a sustainable port. Previous studies has

discussed the uses of BSC, PESTLE, sustainability, a smart and green port in a separate journal. Most of them only discuss one tool and concept in one journal. However, each tool and concept has strengths and weaknesses, so it is necessary to integrate it to cover the gap in order to obtain a complete framework.

This integration is needed because performance measurement can be maximized when paying attention to internal and external aspects of the port with a combination of the concepts of sustainability, smart and green port. This performance measurement design is expected to achieve higher production efficiency quickly, shorten dwelling time in ports, and reduce labour and cost reductions. In addition, it is improving better environmental management by reducing the negative impact of port activities on the environment to realize a sustainable port. In the future, this design can be used as a port KPI that measures port performance in a more complex and detailed manner from various aspects.

References 15

- Alensinskaya, T. V., Arutyunova, D.V., Orlova, V.G., Ilin, I.V., Shirokova, S, V. (2017). Conception BSC for Investment Support of Port and Industrial Complexes. *Academy of Strategic Management Journal*. Vol. 16, no.1, pp. 9-19
- Bisogno, M., Nota, G., Saccomanno, A., and Tommasetti, A (2015). Improving the efficiency of Port Community Systems through integrated information flows of logistic processes. *The International Journal of Digital Accounting Research*. Vol. 15, 2015 , pp. 1-31.
- Bojić, N., Bošnjak, R. andGudelj, A. (2021). Review of Smart Ports in the European Union. 19th International Conference on Transport Science.
- Cambroner, A. S., Cancelas, N., and Serrano, B. M. (2020). Analysis of port sustainability using the PPSC methodology (PESTEL, Porter, SWOT, CAME). *World Scientific News*.
- Casan, H.M., Alier, M., and Llorens, Adriadna, A Collaborative Learning Activity to Analyze the Sustainability of an Innovation Using PESTLE, sustainability, vol 13, no 8756, 2021
- Chen, Z., and Pak, M. (2017): A Delphi analysis on green performance evaluation indices for ports in China, *Maritime Policy and Management*,
- Christodoulou, A., and Cullinane, K. (2019). Identifying the Main Opportunities and Challenges from the Implementation of a Port Energy Management System: A SWOT/PESTLE Analysis. *Sustainability*.
- Darbra, R. M., A. Ronza, J. Casal, T. Stojanovic, and C. Wooldridge. 2004. "New Methodology to Assess Environmental Management in Sea Ports." *Marine Pollution Bulletin* Vol. 48, No. 5/6, pp. 420-428. doi:10.1016/j.marpolbul.2003.10.023.
- Douaioui, K., Fri, M., Mabrouki, C., and Semma, E. A. (2018). Smart port: Design and perspectives. 2018 4th International Conference on Logistics Operations Management (GOL).
- Duran, Claudia A., and Cordova, Felisa M. (2016). Conceptual model to identify technological synergic relationships of strategic level in a medium sized Chilean Port. *Procedia Computer Science*, Vol. 9, pp. 382-391.
- Fusco, Pau Morales, SauriSergi, Lekka Anna Maria, KarousosIosif. (2016). Assessing customs performance in the Mediterranean ports. KPI selection and Best practices identification as part of the MEDNET project. *Transportation Research*, no. 18, pp. 374-383
- González, A., Cancelas, N., Serrano, B., and Orive, A. (2020). Preparation of a Smart Port Indicator and Calculation of a Ranking for the Spanish Port System. Vol. 4, No. 9, pp. 1-21

- 7 Ha, Min-Ho, Yang, Zaili, Notteboom, Theo, K.Y.Ng, Adolf, and Heo, Man-Wook. (2017). Revisiting port performance measurement: A hybrid multistakeholder framework for the modelling of port performance indicators. *Transportation Research, part E*, No. 103, pp.1-16
- 7 Ha, Min-Ho, Yang Zaili, Lam, Jasmine Siu Lee. (2018). Port Performance in Container Transport Logistics: A Multi-stakeholder Perspective. *Transport Policy*, pp. 1-32
- 17 Hamid, N. (2018). Use Balanced Scorecard for Measuring competitive advantage of infrastructure assets of owned state ports in Indonesia : case in Pelindo IV, Indonesia. *Journal of Management Development*, pp. 1-9
- 26 Hassan, R., Gurning, R. O. S., Handani, D.W. (2020). Analysis of the Container Dwell Time at Container Terminal by Using Simulation Modelling. *International Journal of Marine Engineering Innovation and Research*, Vol. 5, no. 1, pp. 34-43
- 19 Hikam, A. H. (2021) Menhub Targetkan Dwelling Time Pelabuhan Patimban Kurang dari 2 Hari. Available at <https://finance.detik.com/berita-ekonomi-bisnis/d-5324321/menhub-targetkan-dwelling-time-pelabuhan-patimban-kurang-dari-2-hari>
- 38 Hu, F. K., Aye, L., and Dueld, C. F. (2019). Engaging Employees with Good Sustainability: Key Performance Indicators for Dry Ports. *Sustainability*.
- 22 Ilin, I., Jahn, C., Weigell, J., and Kalyazina, S. (2019). Digital Technology Implementation for Smart City and Smart Port Cooperation. *Atlantis Highlights in Computer Sciences*, Vol. 1.
- 18 Iklina, I., Ingriantara, A., Djaja, K. (2018). Asset Management Analysis and Development Strategy of Muara Angke Fishing Port. *Competition and Cooperation in Social and Political Science*, pp. 215-222
- 4 Jun, W. K., Lee, M.-K., and Choi, J. Y. (2018). Impact of the smart port industry on the Korean national economy using input-output analysis. *Transportation Research Part A: Policy and Practice*, Vol. 118, pp. 480-493
- 69 Karakas, Serkan, Acar, Avni Zafer, Kirmizi, Mehmet. (2020). Development of a Multidimensional Performance Evaluation Model for Container Terminals at Marmara Sea. *Research in Transportation Business and Management*, No. 8, pp. 1-14
- 25 Kopeccka, Nattarinee. (2015). The Balanced scorecard implementation, integrated approach and the quality of its measurement. *Procedia Economics and Finance*, Vol. 25, pp. 59-69.
- 43 Lam J, and Li, K (2019). Green port marketing for sustainable growth and development. Vol 84, pp. 73-81
- 3 Li, H.H.L and Yip, T. L., (2016). Core Competences of River Ports: Case Study of Pearl River Delta. *The Asian Journal of Shipping and Logistics*. Vol. 32, No. 2, pp. 099-105
- 42 Molavi, A., Lim, G and Race, B. (2019). A framework for building a smart port and smart port index. Vol. 14, pp. 686-700
- 29 Muangpan, T., and Suthiwarnarueput, K. (2019). Key performance indicators of sustainable port: Case study of the eastern economic corridor in Thailand. *Cogent Business and Management*.
- 30 Oh, H., Lee, S.-W., and Seo, Y.-J. (2018). The evaluation of seaport sustainability: The case of South Korea. *Ocean and Coastal Management*.
- 4 Pham, T. Q. M., Park, Gyei, K. G., and Choi, K. (2020). The Efficiency analysis of world top container ports using two-stage uncertainty DEA model and FCM.
- 8 Philip, R. (2020) Digital readiness index assessment towards smart port development. Vol. 28, pp. 49-60

- 14
Ridwan, Asep, and Noche, Bernd. (2018). Model of the port performance metrics in ports by integration six sigma and system dynamics. *International Journal of Quality and Reliability Management*, Vol. 35, No. 1, pp.82-108.
- 35
Roos, E.C. and Neto, F. J., (2016). Tools for evaluating environmental performance at Brazilian public ports: Analysis and proposal. Vol. 115, 1-2. pp. 211-216.
- 12
Salem, Milad a. ,Hasnan, Norlena, and Osman, Nor H. (2012). Balanced scorecard :weakness, strengths, and its ability as performance management system versus other performance management systems. *Journal of Enviroment and Earth Science*, Vol. 2, No. 9, pp. 1-10.
- 33
Schippera, C., B, H. V., and de Jong, M. (2017). A sustainability assessment of ports and port-city plans: Comparing ambitions with achievements. *Transportation Research Part D*.
- 6
Siroka, M., Pilicic, S., Milosevic, T., Lacalle, I., Traven, L., (2021). A novel approach for assessing the ports' environmental impacts in real time – The IoT based port environmental index.
- 3
Sridhar, R., A Political, Economic, Social, Technological, Legal and Environmental (PESTLE) approach for assessment of coastal zone management practice in India, *International Review of Public Administration*, Vol 21, No 3, pp.216-232, 2016
- 39
Teerawattana, R. and Yang, Y., (2019). Environmental Performance Indicators for Green Port Policy Evaluation: Case Study of Laem Chabang Port. Vol. 35, No. 1, pp.63-69
- 4
Viao, A. D., Varriale, L., Alvino, F., (2018). Key performance indicators for developing environmentally sustainable and energy efficient ports: Evidence from Italy. Vol. 122. pp. 229-240.
- 3
Vrakas, G., Chan, C.,and Thai, V. V. (2021). The effects of evolving port technology and process optimisation on operational performance: The case study of an Australian container terminal operator. *The Asian Journal of Shipping and Logistics*
- 10
Yau, K.-L. A., Peng, S., Qadir, J., Low, Y.-C., and Ling, M. H. (2020). Towards Smart Port Infrastructures: Enhancing Port Activities Using Information and Communications Technology. *IEEE Access*. Vol 8, pp. 83387–83404. doi:10.1109/access.2020.2990961
- 6
Zarzuelo, D. I. de la P., Soeane, D. M. J. F., and Bermúdez, D. B. L. (2020). Industry 4.0 In The Port And Maritime Industry: A Literature Review. *Journal of Industrial Information Integration*, 100173.

2 Biographies

Yugowati Praharsi is an Assistant Professor in Business Management Department at Shipbuilding Institute of Polytechnic Surabaya, East Java, Indonesia. She earned B.Sc. in Mathematics from Satya Wacana Christian University, Indonesia; M.Sc in Electronic Engineering and Ph.D in Industrial and System Engineering from Chung Yuan Christian University, Taiwan. She has published national and international journals and conference papers. Her research interests are in the field of operation research, production system, quality management, and supply chain management.

2
Fitri Hardiyanti is a lecturer in Business Management Department at Shipbuilding Institute of Polytechnic Surabaya, East Java, Indonesia. Mrs. Fitri holds a Bachelor of engineering degree and master engineering in Civil Engineering from Sepuluh Nopember Institute of Technology, Surabaya – Indonesia. She also has double degree from Asian Institute of Technology Thailand. Her research interest field are project management and shipyard management. She is a member of the International Association of Engineers (IAENG).

Devina Puspita Sari is a Lecturer at PPNS. Mrs. Devina holds a Bachelor of Engineering degree in ship control from the SepuluhNopember Institute of Technology and Master of Engineering in ship control from the SepuluhNopember Institute of Technology.

Ristanti Akseptoriis is a lecturer in Business Management Department at Shipbuilding Institute of Polytechnic Surabaya, East Java, Indonesia. She earned BA in English Literature from Sebelas Maret University, Indonesia; Master of Management in Finance from Surabaya University. Her research interests are in the field of Finance, Investments, and Human Resource Management.

Aditya Maharani is a teaching staff at Shipbuilding Institute of Polytechnic Surabaya in the business management study program. She has graduated a bachelor's degree in mathematics and a master's in industrial engineering from SepuluhNopember Institute of Technology (ITS) Surabaya. Her research interests are in the field of risk management, operation and production management, and project management.

An Integrated Framework of Balance Scorecard-PESTLE-Smart and Green Port for Boosting the Port Performance

ORIGINALITY REPORT

33%	29%	22%	22%
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS

PRIMARY SOURCES

1	Submitted to Arkansas State University, Jonesboro Student Paper	3%
2	p3m.ppns.ac.id Internet Source	2%
3	Submitted to RMIT University Student Paper	2%
4	www.emerald.com Internet Source	1%
5	www.tandfonline.com Internet Source	1%
6	ndltd.ncl.edu.tw Internet Source	1%
7	ideas.repec.org Internet Source	1%
8	www.sciendo.com Internet Source	1%

Submitted to University of Sydney

9	Student Paper	1 %
10	Submitted to American Public University System Student Paper	1 %
11	worldwidescience.org Internet Source	1 %
12	Submitted to Munich Business School Student Paper	1 %
13	ieomsociety.org Internet Source	1 %
14	www.koreascience.or.kr Internet Source	1 %
15	exeley.com Internet Source	1 %
16	Www.mdpi.com Internet Source	<1 %
17	etds.lib.ncku.edu.tw Internet Source	<1 %
18	Submitted to University of Hertfordshire Student Paper	<1 %
19	finance.detik.com Internet Source	<1 %
20	www.ejilt.org Internet Source	

<1 %

21

ctfm-elb.citethisforme.com

Internet Source

<1 %

22

www.esd-conference.com

Internet Source

<1 %

23

www.intermodeleu.eu

Internet Source

<1 %

24

Rattaporn Teerawattana, Yi-Chih Yang.
"Environmental Performance Indicators for
Green Port Policy Evaluation: Case Study of
Laem Chabang Port", The Asian Journal of
Shipping and Logistics, 2019

Publication

<1 %

25

Submitted to University of New South Wales

Student Paper

<1 %

26

[c95e5d29-0df6-4d6f-8801-
1d6926c32107.usrfiles.com](https://c95e5d29-0df6-4d6f-8801-1d6926c32107.usrfiles.com)

Internet Source

<1 %

27

dergipark.org.tr

Internet Source

<1 %

28

www.bib.irb.hr

Internet Source

<1 %

29

www.citethisforme.com

Internet Source

<1 %

30

www.porteconomics.eu

Internet Source

<1 %

31

Claudia Duran, Diego Fuentealba, Raul Carrasco, Barbara Aravena. "Strategic opportunities in mining using text analytics", 2021 IEEE CHILEAN Conference on Electrical, Electronics Engineering, Information and Communication Technologies (CHILECON), 2021

Publication

<1 %

32

iptek.its.ac.id

Internet Source

<1 %

33

Andrea Hricko. "Progress and Pollution: Port Cities Prepare for the Panama Canal Expansion", Environmental Health Perspectives, 2012

Publication

<1 %

34

Submitted to World Maritime University

Student Paper

<1 %

35

Submitted to Liverpool John Moores University

Student Paper

<1 %

36

Submitted to Nelson Mandela Metropolitan University

Student Paper

<1 %

37

sevgiligiyim.com

Internet Source

<1 %

38	Submitted to King's Own Institute Student Paper	<1 %
39	Submitted to University of Gibraltar Student Paper	<1 %
40	app.trdizin.gov.tr Internet Source	<1 %
41	cyberleninka.org Internet Source	<1 %
42	hal.archives-ouvertes.fr Internet Source	<1 %
43	Submitted to University of Bristol Student Paper	<1 %
44	"European Port Cities in Transition", Springer Science and Business Media LLC, 2020 Publication	<1 %
45	link.springer.com Internet Source	<1 %
46	Min-Ho Ha, Zaili Yang, Theo Notteboom, Adolf K.Y. Ng, Man-Wook Heo. "Revisiting port performance measurement: A hybrid multi- stakeholder framework for the modelling of port performance indicators", Transportation Research Part E: Logistics and Transportation Review, 2017 Publication	<1 %

47 coek.info <1 %
Internet Source

48 www.mdpi.com <1 %
Internet Source

49 George Vrakas, Caroline Chan, Vinh V. Thai. <1 %
"The effects of evolving port technology and
process optimisation on operational
performance: The case study of an Australian
container terminal operator", The Asian
Journal of Shipping and Logistics, 2021
Publication

50 futur.upc.edu <1 %
Internet Source

51 Submitted to Fakultas Ekonomi Universitas <1 %
Indonesia
Student Paper

52 Hannah Oh, Sung-Woo Lee, Young-Joon Seo. <1 %
"The evaluation of seaport sustainability: The
case of South Korea", Ocean & Coastal
Management, 2018
Publication

53 repository.up.ac.za <1 %
Internet Source

54 en.wikipedia.org <1 %
Internet Source

tore.tuhh.de

55

Internet Source

<1 %

56

Chengying Hua, Jihong Chen, Zheng Wan, Lang Xu, Yun Bai, Tianxiao Zheng, Yijie Fei. "Evaluation and governance of green development practice of port: A sea port case of China", Journal of Cleaner Production, 2020

Publication

<1 %

57

Mohd Javaid, Abid Haleem, Ravi Pratap Singh, Rajiv Suman. "Significant applications of big data in Industry 4.0", Journal of Industrial Integration and Management, 2021

Publication

<1 %

58

www.entrepreneur.com

Internet Source

<1 %

59

hotelschool.lv

Internet Source

<1 %

60

Ignacio de la Peña Zarzuelo, María Jesús Freire Soeane, Beatriz López Bermúdez. "Industry 4.0 in the port and maritime industry: A literature review", Journal of Industrial Information Integration, 2020

Publication

<1 %

61

dspace.plymouth.ac.uk

Internet Source

<1 %

62

orbi.uliege.be

Internet Source

<1 %

63

www.advergize.com

Internet Source

<1 %

64

Asep Ridwan, Bernd Noche. "Model of the port performance metrics in ports by integration six sigma and system dynamics", International Journal of Quality & Reliability Management, 2018

Publication

<1 %

65

Thanyaphat Muangpan, Kamonchanok Suthiwartnarueput. "Key performance indicators of sustainable port: Case study of the eastern economic corridor in Thailand", Cogent Business & Management, 2019

Publication

<1 %

66

hdl.handle.net

Internet Source

<1 %

67

ijmp.jor.br

Internet Source

<1 %

68

repository.tudelft.nl

Internet Source

<1 %

69

Serkan Karakas, Avni Zafer Acar, Mehmet Kirmizi. "Development of a multidimensional performance evaluation model for container terminals at Marmara Sea", Research in Transportation Business & Management, 2020

Publication

<1 %

70

"Reliability and Statistics in Transportation and Communication", Springer Science and Business Media LLC, 2020

Publication

<1 %

Exclude quotes Off

Exclude matches Off

Exclude bibliography Off